

TOTAL

TOTAL®

One-Stop Tools Station



2020-2021

www.totalbusiness.com

TFBLI2001
20V

P20S 2.0Ah

INDUSTRIAL

Lithium-Ion Battery Pack

One battery fits all TOTAL 20V multiple tools



Innovated by TOTAL
Patent No.: ZL 2018 3 0305235.0

TFCLI2001
20V

P20S 2000mA

INDUSTRIAL

Fast Intelligent Charger

One battery fits all TOTAL 20V multiple tools



TDLI20025
20V

P20S

Li-Ion Battery 2.0Ah

Lithium-Ion Cordless Drill

Voltage: 20V
Charger volts: 220-240V~50/60Hz
No-load speed: 0-350/0-1350/min
Max.torque: 45NM
Chuck capacity: 0.8-10mm
Torque settings: 15+1



Innovated by TOTAL
Patent No.: ZL 2018 3 0196871.4

TIDLI2003
20V

P20S

INDUSTRIAL

Li-Ion Battery 2.0Ah

Lithium-Ion Impact Drill

Voltage: 20V
Charger volts: 110-240V ~50/60Hz
No-load speed: 0-450/0-1900/min
Max.torque: 55NM
Chuck capacity: 2.0-13mm
Torque settings: 23+1+1



Innovated by TOTAL
Patent No.: ZL 2017 3 0348359.2



TDLI1232
12V

S12

Li-Ion Battery 1.5Ah

Lithium-Ion Cordless Drill

Voltage: 12V
Charger volts: 220-240V~50/60Hz
No-load speed: 0-350/0-1350/min
Max.torque: 20NM
Chuck capacity: 0.8-10mm
Torque settings: 15+1



TDLI1612
16.8V

Li-Ion Battery

Lithium-Ion Cordless Drill

Voltage: 16.8V
Charger volts: 100-240V~50/60Hz
No-load speed: 0-350/0-1350/min
Max.torque: 28NM
Chuck capacity: 0.8-10mm
Torque settings: 15+1



TDLI1222
12V

Li-Ion Battery

Lithium-Ion Cordless Drill

Voltage: 12V
Charger volts: 100-240V~50/60Hz
No-load speed: 0-350/0-1350/min
Max.torque: 25NM
Chuck capacity: 0.8-10mm
Torque settings: 15+1



TSDLI0801
8V

Li-Ion Battery

Lithium-Ion Cordless Screwdriver

Voltage: 8V
Charger volts: 110-240V~50/60Hz
No-load speed: 0-220/min
Max.torque: 5.5NM
Charging time: 2Hr approx
Torque settings: 15+1



Innovated by TOTAL
Patent No.: ZL 2016 3 0195807.5



Lithium-Ion Cordless Drill

TDLI1241

INDUSTRIAL



S12
1.5Ah



Drill volts: 12V
Charger volts: 220-240V~50/60Hz
Charger time: 2Hr approx
Chuck capacity: 0.8-10mm
No-load speed: 0-600min-1
Torque settings: 15+1

TDLI1211

12V



Lithium-Ion Cordless Drill

Drill volts: 12V
Charger volts: 220-240V~50/60Hz
No-load speed: 0-600/min
Max.torque: 20NM
Chuck capacity: 0.8-10mm
Torque settings: 15+1



TG111136

1010W

INDUSTRIAL

Impact Drill

Voltage: 220-240V~50/60Hz
Input power: 1010W
No-load speed: 0-2800/min
Impact rate: 0-44800/min
Chuck capacity: 1.5-13mm



Innovated By TOTAL
Patent No.: ZL 2015 3 0446512.6



TG108136

750W

Impact Drill

Voltage: 220-240V~50/60Hz
Input power: 750W
No-load speed: 0-3000/min
Impact rate: 0-48000/min
Chuck capacity: 1.5-13mm



Innovated By TOTAL
Patent No.: ZL 2016 3 0047949.7



TD2051026

500W

INDUSTRIAL

Electric Drill

Voltage: 220-240V~50/60Hz
Input power: 500W
No-load speed: 0-3300/min
Chuck capacity: 1.0-10mm

10mm



Innovated By TOTAL
Patent No.: ZL 2015 3 0180748.X



TD2051026-2

500W

INDUSTRIAL

Electric Drill

Voltage: 220-240V~50/60Hz
Input power: 500W
No-load speed: 0-3300/min
Chuck capacity: 1.5-10mm

10mm



Innovated By TOTAL
Patent No.: ZL 2015 3 0180748.X



TH308268-2

800W

SDS PLUS

Rotary Hammer

Voltage: 220-240V~50/60Hz
Input power: 800W
Impact energy: 2.5J
Impact rate: 0-4000/min
No-load speed: 0-1100/min
Max drilling capacity in concrete: 26mm



Innovated By TOTAL
Patent No.: ZL 2015 3 0206576.9



TH308268

800W

SDS PLUS

Rotary Hammer

Voltage: 220-240V~50/60Hz
Input power: 800W
Impact energy: 2.5J
Impact rate: 0-4000/min
No-load speed: 0-1100/min
Max drilling capacity in concrete: 26mm



Innovated By TOTAL
Patent No.: ZL 2015 3 0206576.9



TG12223026

2200W

INDUSTRIAL

Angle Grinder

Voltage: 220-240V~50/60Hz
Input power: 2200W
No-load speed: 6600/min
Disc diameter: 230mm
Spindle thread: M14



TG10711536, TG10811536

710W/850W

INDUSTRIAL

Angle Grinder

Voltage: 220-240V~50/60Hz
Input power: 710W/850W
No-load speed: 11000/min
Disc diameter: 115mm
Spindle thread: M14



Innovated By TOTAL
Patent No.: ZL 2012 3 0394728.9



TG1091156

950W

INDUSTRIAL

Angle Grinder

Voltage: 220-240V~50/60Hz
Input power: 950W
No-load speed: 11000rpm
Disc diameter: 115mm
Spindle thread: M14



TP1141806

1400W

INDUSTRIAL

Angle Polisher

Voltage: 220-240V~50/60Hz
Input power: 1400W
No-load speed: 1500-4500/min
Disc diameter: 180mm
Spindle thread: M14



Innovated By TOTAL
Patent No.: ZL 2016 3 0195792.2



TH1153216

1500W

INDUSTRIAL

Rotary Hammer

Voltage: 220-240V~50/60Hz
Input power: 1500W
Impact energy: 5.5J
Impact rate: 4400/min
No-load speed: 850/min
Max drilling capacity in concrete: 32mm



Innovated By TOTAL
Patent No.: ZL 2017 3 0348358.8



TH213006

1300W

INDUSTRIAL

Demolition Breaker

Voltage: 220-240V~50/60Hz
Input power: 1300W
Impact rate: 3800/min
Impact force: 20J



Innovated By TOTAL
Patent No.: ZL 2016 3 0053972.7



TS1222356

2200W

INDUSTRIAL

Circular Saw

Voltage: 220-240V~50/60Hz
Input power: 2200W
No-load speed: 3800/min
Max cutting capacity: 80mm
Dia of blade: 235mm



Innovated By TOTAL
Patent No.: ZL 2017 3 0305500.0



TS1161856

1600W

INDUSTRIAL

Circular Saw

Voltage: 220-240V~50/60Hz
Input power: 1600W
No-load speed: 5000/min
Max cutting capacity: 65mm
Dia of blade: 185mm



Innovated By TOTAL
Patent No.: ZL 2016 3 0253674.2



TS1121856
1200W

INDUSTRIAL

Circular Saw

Voltage: 220-240V~50/60Hz
Input power: 1200W
No-load speed: 5000/min
Max cutting capacity: 62mm
Dia of blade: 185mm



Innovated By TOTAL
Patent No.: ZL 2017 3 0684236.6



TS1141856
1400W

INDUSTRIAL

Circular Saw

Voltage: 220-240V~50/60Hz
Input power: 1400W
No-load speed: 4800/min
Max cutting capacity: 65mm
Dia of blade: 185mm



Innovated By TOTAL
Patent No.: ZL 2017 3 0684236.6



TS204556
400W

Jig Saw

Voltage: 220-240V~50/60Hz
Input power: 400W
No-load speed: 800-3000/min
Cutting capacity: 55mm in wood
3mm in steel
10mm in aluminum

3PCS
Jig Saw
Blade Free



TS206656
570W

Jig Saw

Voltage: 220-240V~50/60Hz
Input power: 570W
No-load speed: 800-3000/min
Cutting capacity: 65mm in wood
8mm in steel



3PCS
Jig Saw Blades
Free



TS206806
650W

INDUSTRIAL

Jig Saw

Voltage: 220-240V~50/60Hz
Input power: 650W
No-load speed: 800-2800/min
Cutting capacity: 80mm in wood
8mm in steel
16mm in aluminum



Innovated By TOTAL
Patent No.: ZL 2017 3 0280963.6



TT328151
800W/1500W

INDUSTRIAL

Plastic Tube Welding Tool

Voltage: 220-240V~50/60Hz
Input power: 800/1500W
Sockets: Ø20, Ø25, Ø32,
Ø40, Ø50, Ø63mm
Thermoregulator: 0-300°C



TT101116
20W(100W)

Glue Gun

Voltage: 220-240V~50/60Hz
Input power: 20W(100W)
Gluing capacity: 10-15g/min
Glue stick diameter: 11.2mm

2pcs
Glue gun stick



Innovated By TOTAL
Patent No.: ZL 2017 3 0059140.0



TB2006
2000W

INDUSTRIAL

Heat Gun

Voltage: 220-240V~50/60Hz
Input power: 2000W
Temperature: 50°C/380°C/570°C
Airflow: 500/300/500 L/min



Innovated By TOTAL
Patent No.: ZL 2018 3 0178967.8



TB2046
400W



Aspirator Blower

Voltage: 220-240V~50/60Hz
Input power: 400W
No-load speed: 14000/min
Max blowing rate: 3.0m³/min



TB2066
600W

INDUSTRIAL



Aspirator Blower

Voltage: 220-240V~50/60Hz
Input power: 600W
No-load speed: 0-16000/min
Max blowing rate: 0-3.5m³/min

Innovated By TOTAL
Patent No.: ZL 2015 3 0242388.1



TS92435526
2400W

INDUSTRIAL




Cut Off Saw

Voltage: 220-240V~50/60Hz
Input power: 2400W
Blade size: 355x25.4x3mm
No-load speed: 3900/min
Max cutting capacity: 100mm in round pipe
100x100mm in square steel
120x100mm in rectangle



TGT11316
1400W

High Pressure Washer



Copper Wire Motor



TGT11316



TGTSG026



Automatic Pump Control

TWPS101
TWPS102



(Water flow direction)



(Water flow direction)

Rated voltage: 220-240V~50/60Hz
Starting pressure: 1.5Bar(22psi)
Maximum current: 10A
Rated power: 1100W
Max pressure: 10Bar(145psi)



TAT10401
400cc

Spray Gun

✓ Base Coat
✗ Finishing Coat

Air spray gun

Standard nozzle: 1.5mm
Pattern width: 180-250mm
Paint capacity: 400cc
Suitable for base coat



Peripheral Pump

TWP13706



Copper Wire Motor




Brass Impeller



Thermal Protector

The performance curves are based on the kinematic viscosity values = 1 mm²/s and density equal to 1000 kg/m³. Curve tolerance according to ISO 9906.

Performance Curves



Centrifugal Pump

TWP27506



Copper Wire Motor




Stainless steel



Thermal Protector

The performance curves are based on the kinematic viscosity values = 1 mm²/s and density equal to 1000 kg/m³. Curve tolerance according to ISO 9906.

Performance Curves



Centrifugal Pump

TWP215006



Copper Wire Motor




Stainless steel



Thermal Protector

The performance curves are based on the kinematic viscosity values = 1 mm²/s and density equal to 1000 kg/m³. Curve tolerance according to ISO 9906.

Performance Curves



Centrifugal Pump

TWP215002



Copper Wire Motor




Brass Impeller



Thermal Protector

The performance curves are based on the kinematic viscosity values = 1 mm²/s and density equal to 1000 kg/m³. Curve tolerance according to ISO 9906.

Performance Curves



Drill Bits Display Cabinet




TAKD2608M

Drill bits not included



HSS Drill Bit

- Twist drill bit made of high speed steel manufactured to DIN 338
- Right-hand cutting twist drill bits, Type N, drill bit tip 118°
- Even chip removal and reduction of chip friction
- Extremely true running and precise round holes
- No jamming of the main cutting edge and no slipping of the drill bit for through-holes
- High fracture strength and long life



Item No.	Diameter (mm)	Total Length (mm)	Working Length (mm)
TAC100303	3.0	61.0	33.0
TAC100403	4.0	75.0	43.0
TAC100803	8.0	117.0	75.0
TAC101003	10.0	133.0	87.0

- Available in inch size

SDS Plus Hammer Drill

INDUSTRIAL

- Impact-resistant and bend-resistant drill bit, guarantees longer life
- Wide and deeply supported plate prevents the tip from breaking out
- High-temperature-brazed tungsten carbide blades for fast, accurate and safe drilling
- Large volume spiral flute enables optimum drilling dust removal
- Low vibration guarantees fatigue-free working
- Suitable for drilling holes in granite, concrete, masonry, limestone, natural and artificial stone and so on





Item No.	Diameter (mm)	Total Length (mm)	Working Length (mm)
TAC310601	6.0	110	50
TAC310602	6.0	160	50
TAC310801	8.0	110	90
TAC310802	8.0	160	90
TAC311002	10.0	160	90
TAC311601	16.0	160	90
TAC311402	14.0	160	50




Masonry Drill Bit

INDUSTRIAL

- Impact-resistant and bend-resistant drill bit, guarantees longer life
- Wide and deeply supported plate prevents the tip from breaking out
- High-temperature-brazed tungsten carbide blades for fast, accurate and safe drilling
- Large volume spiral flute enables optimum drilling dust removal
- Low vibration guarantees fatigue-free working
- Suitable for drilling holes in granite, concrete, masonry, limestone, natural and artificial stone and so on





Item No.	Diameter (mm)	Total Length (mm)	Working Length (mm)
TAC210601	6.0	100	58
TAC210801	8.0	120	70




SDS plus chisel

INDUSTRIAL

- Made of Chrome-Molybdenum alloy steel, for demolition and general chisel work in concrete and brickwork
- Sand blasting finishing



Style	Item No.	Shank	Ø (mm)	Width (mm)	Working Length (mm)
Plus Chisel	TAC1511141	PLUS	14	0	250
Plus Chisel	TAC15121411	PLUS	14	20	250



Hammer Drill Bits Set

5PCS


INDUSTRIAL



Item No.	Size(mm)
TAC190501	6x110, 8x110, 8x160, 10x160, 12x160


HSS Twist Drill Bits Set

6PCS





Item No.	Size(mm)
TACSD0605	2, 3, 4, 5, 6, 8

Masonry Drill Bits Set 5PCS



Item No.	Size(mm)
TACSD5055	4,5,6,8,10

Segmented Turbo Cup Grinding Wheel



Item No.	Size (mm)	Width
TAC2411151	115X22.2	20mm

Flap disc



Item No.	Ø (mm)	Grit
TAC631152	115	P60
TAC631153	115	P80

Screwdriver Bit


INDUSTRIAL



Item No.	Diameter	N (pcs/set)	Total Length	Ø1	Ø2
TAC16PH233	PH2	10	65mm	Ø7	Ø7


Screwdriver Bit

INDUSTRIAL




Item No.	Diameter	N (pcs/set)	Total Length	Ø1	Ø2
TAC16HL133	PH2+SL6.0,65mm	10	65mm/2.5"	Ø7	Ø7

Hole core bit




Item No.	Diameter	Pilot drill bit	Working Length	Thread size
TAC430501	50mm	8x110mm	65mm/2.5"	M22x2

Jig Saw Blade For Wood




Item No.	Spec
TAC51111C	5Pcs basic for wood, 8TPI

Jig saw blade for metal




Item No.	Spec
TAC51118B	5Pcs basic for metal, 12TPI

Diamond Cutting Disc Printing Design Patented



Item No.	Size(mm)	Max. Speed
TACSD5055	115x22	15300(min), 80(m/s)

Dry diamond disc Printing Design Patented



Item No.	Size(mm)	Max. Speed
TAC211151	115x22.2	13200(min), 80(m/s)

TCT Saw Blade Printing Design Patented



Item No.	Diameter	Teeth Number	Arbor(mm)	Reduction Ring(mm)	Max./min
TAC231413	185mm, 7-1/4"	60T	20	16	8200

TCT Saw Blade Printing Design Patented



Item No.	Diameter	Teeth Number	Arbor(mm)	Reduction Ring(mm)	Max./min
TAC231255	115mm, 4-1/2"	40T	22.2	16	13300

Abrasive metal cutting disc Printing Design Patented



Item No.	Diameter (mm)	Thickness (mm)	Bore (mm)
TAC2211151	115	1.2	22.2
TAC2212301	230	3.0	22.2

Abrasive metal cutting and grinding disc Printing Design Patented



Item No.	Diameter (mm)	Thickness (mm)	Bore (mm)
TAC2212302	230	1.6	22.2
TAC2213551	355	3.0	25.4
TAC2214051	405	3.0	25.4
TAC2231151	115	6.0	22.2

Wire Cup Brushes With Nut



Item No.	Ø (mm)	Thread Size
TAC32031	75	M14

Wire Cup Brushes With Nut



Item No.	Ø (mm)	Thread Size
TAC31031	75	M14

Wire Cup Brush



Item No.	Ø (mm)	Shank Diameter
TAC33021	!	6.35mm

Wool Polishing Bonnet 180mm



Item No.	Ø (mm)
TAC721801	180

Key chuck 13mm



Item No.	Ø (mm)	Size
TAC451301	1.5-13	1/2"-20UNF

Glue Gun Stick 6PCS



Petroleum Resin




Item No.	Ø (mm)	L(mm)
TACGT2061	11.2	200

Hole Saw Set



Item No.	Size(mm)	Height
TACSH3071	26,32,38,45,50,56,63	50mm(2")



Diagonal Cutting Pliers 160mm(6")



Item No.	Length	Ø (mm)
THT130606P	6"	160

Long Nose Pliers 160mm(6")



Item No.	Length	Ø (mm)
THT120606P	6"	160

Combination Pliers 180mm(7") 200mm(8")



Item No.	Length	Ø (mm)
THT110706P	7"	160
THT110806P	8"	180

End Cutting Pliers 160mm(6")



INDUSTRIAL



Item No.	Length	Ø (mm)
THT260606	6"	160

Pump Pliers 300mm(12")



Item No.	Length	Ø (mm)
THT281202	12"	300

Insulated combination pliers 180mm(7")



1000V



INDUSTRIAL



Item No.	Length	Ø (mm)
THTIP2171	7"	180

End cutting pliers 180mm(7")



INDUSTRIAL



Item No.	Length	Ø (mm)
THT260702	7"	180

Pump Pliers 250mm(10")




INDUSTRIAL



Item No.	Length	Ø (mm)
THT281006	10"	250

Pipe Wrench 10"/12"/14"/18"

INDUSTRIAL



Innovated by TOTAL
Patent No.: ZL 2015 3 0536206.1

Item No.	Length	Ø (mm)
THT171006	10"	34
THT171206	12"	42

Item No.	Length	Ø (mm)
THT171146	14"	50
THT171186	18"	60

Bolt Cutter 14"/18"/24"

INDUSTRIAL



Comfortable Rubber Handle



Item No.	Length	Ø (mm)
THT113146	14"	7
THT113186	18"	8
THT113246	24"	10

Straight Jaw Plier 250mm(10")




Carbon-steel

Item No.	Length	Ø (mm)
THT191002	10"	250

Cable Cutter 160mm(6") 200mm(8")

INDUSTRIAL




Copper and aluminum cables

Item No.	Length	Ø (mm)
THT11561	6"	160
THT11581	8"	200

Heavy Duty Cable Cutter 250mm(10")

INDUSTRIAL





Copper and aluminum cables

Item No.	Length	Ø (mm)
THT115102	10"	250

Wire Stripper 250mm(10")

INDUSTRIAL



Item No.	Length	Ø (mm)
THT15101	10"	250

PVC Pipe cutter 210mm(3-35)

Ø3-35mm



PVC

4Cr13

Item No.	Length	Ø (mm)
THT53351	210	3-35

Pipe cutter

Ø3-32mm



Item No.	Length	Ø (mm)
THT53321		3-32

Slotted Screwdriver

SL 5X100mm
SL 6X150mm

INDUSTRIAL

Cr-V

Item No.	⌀ (mm)	Length	Ø (mm)
THT2146	5.5	100	5.0
THT2166	6.5	150	6.0

Phillips Screwdriver

PH1 5X100mm
PH2 6X150mm

INDUSTRIAL

Cr-V

Item No.	⌀ (mm)	Length	Ø (mm)
THT2246	PH1	100	5.0
THT2266	PH2	150	6.0

Phillips Screwdriver

PH3 8x200mm

INDUSTRIAL

Cr-V

Item No.	⌀ (mm)	Length	Ø (mm)
THT22836	PH3	200	8.0

6 In 1 Screwdriver Set

INDUSTRIAL

Cr-V

Item No.	Spec
THT2506076	Two-way bit: 6.35x65mm, PH1+SL5 8.00x75mm, PH2+SL6 Socket: 6mm, 8mm

2 In 1 Screwdriver Set

2 In 1

INDUSTRIAL

Cr-V

Item No.	Shank Size
THT250206	6.35X160mm, PH2+SL6

6 Pcs Screwdriver Set

INDUSTRIAL

Cr-V

Item No.	Spec
THT250606	1Pcs SL5.5x5x75 1Pcs SL5.5x5x100 1Pcs SL6.5x6x150 1Pcs PH1x5x75 1Pcs PH1x5x100 1Pcs PH2x6x150

12Pcs 1/2" Socket Set

1/2"

INDUSTRIAL

DIN 3122	DIN 3123
DIN 3124	1/2"
Cr-V 50BV30	45T

Item No.	N(Pcs)
THT141121	12

24Pcs 1/2" Socket Set


1/2"

DIN 3122	DIN 3123
DIN 3124	1/2"
Cr-V 50BV30	45T

Item No.	N(Pcs)
THT141253	24

Machinist Hammer


500g



Item No.	W (g)
TH715006	500

Claw Hammer


16oz



Item No.	W (oz)	W (g)
TH73166	16	450

Ball Pein Hammer


16oz



Item No.	W (oz)	W (g)
TH74166	16	450

Rubber Hammer

8/16oz




Item No.	W (oz)	W (g)
TH76816	8	220
TH761616	16	450

Rubber Hammer

8/16oz


INDUSTRIAL



Item No.	W (oz)	W (g)
TH76836	8	220
TH761636	16	450

Rubber And Plastic Hammer

40mm



Item No.	Size
TH77406	40mm(1-9/16")

Claw Hammer

16oz

INDUSTRIAL



Item No.	W (oz)	W (g)
TH7143166	16	450

PVC Pipe Cutter(Heavy-duty)

225mm

INDUSTRIAL

AUTOMATIC OPEN



Item No.	L(mm)	Cutting Diameter
TH53422	16	3-42mm

Concrete Chisel
4x16x250mm



45#CS

Item No.	Size(mm)
THT4221026	4x16x250

Cold Chisel
22x16x250mm



45#CS

Item No.	Size(mm)
THT4211026	22x16x250

Concrete Chisel
4x16x254mm

INDUSTRIAL




Cr.V

Item No.	Size(mm)
THT4221016	4x16x254

G Clamp
4"

INDUSTRIAL



Item No.	Size
THT13141	4"

G Clamp
5"

INDUSTRIAL



Item No.	Size
THT13151	5"

G Clamp
6"

INDUSTRIAL




Item No.	Size
THT13161	6"

Flat Steel File 200mm

Innovated by TOTAL
Patent No.: ZL 2015 3 0167717.0

INDUSTRIAL




Item No.	Length
THT91186	200mm(8")

Half Round Steel File 200mm

Innovated by TOTAL
Patent No.: ZL 2015 3 0167717.0

INDUSTRIAL




Item No.	Length
THT91286	200mm(8")

Triangle Steel File 200mm

Innovated by TOTAL
Patent No.: ZL 2015 3 0167717.0

INDUSTRIAL



Item No.	Length
THT91486	200mm(8")

Hand Saw 18"/20"



Item No.	Teeth	Size
THT55186	7TPI	450mm(18")
THT55206	7TPI	500mm(20")

Light Concrete Saw 600mm(24")

INDUSTRIAL




Tungsten steel teeth(YG8)



Item No.	Teeth	Size
THTLCS1241	17TPI	600mm(24")

Wall Board Saw 6"



Item No.	Teeth	Size
THWBSW626	8TPI	150mm(6")

Wall Board Saw 6"

INDUSTRIAL

SK5 / FAST CUT / 8TPI



Item No.	Teeth	Size
THWBSW66	8TPI	150mm(6")

Hacksaw Frame

12"





with 1 pcs 65Mn blade

Item No.	Size
THT541036	300mm(12")

Hacksaw Frame

12"




with 1 pcs 65Mn blade

Item No.	Size
THT54166	300mm(12")

Aviation Snip


Left



Item No.	L (mm)
THT521106	250(10")

Aviation Snip

Straight



Item No.	L (mm)
THT522106	250(10")

Aviation Snip


Right



Item No.	L (mm)
THT523106	250(10")

Snap-off Blade Knife

173mm



Item No.	L (mm)	W (mm)
THT51816	100	18

Snap-off Blade Knife

169mm



Item No.	L (mm)	W (mm)
THT511836	100	18


10pcs blades set



Item No.	L (mm)	W (mm)
THT519181	100	18

Hand Riveter

10.5"



Item No.	Length	Rivet Size Ø (mm)
THT32101	10"	2,4,3,2,4,4,8

Hand Riveter


10.5"



Aluminum body

Item No.	Length	Rivet Size Ø (mm)
THT32105	10.5"	2,4,3,2,4,4,8

Staples



Item No.	Size	Width
THT3981	8mm	0.7mm
THT39101	10mm	0.7mm
THT39121	12mm	0.7mm

Matched with TOTAL THT31141

Item No.	Size	Width
THT3982	8mm	1.2mm
THT39102	10mm	1.2mm
THT39122	12mm	1.2mm

Matched with TOTAL THT31142

Staple Gun

4-14



C:11.3mm W:0.7mm

Item No.	Size
THT31141	4-14mm

Staple Gun

6-14



C:10.6mm or 11.3mm
W:1.2mm



Item No.	Size
THT31142	6-14mm

Combination Spanner Set

8pcs



Item No.	Length	Rivet Size Ø (mm)
THT102286	6-19	8


Double Open End Spanner set

8pcs



Item No.	Size(mm)	N (pcs)
THT102386	6-22	8

Telescopic rod




Item No.	Length
THTEP0205	200

Ratchet Wrench

1/2"


INDUSTRIAL



Hex Key

9pcs


INDUSTRIAL



Hex Key


9pcs

INDUSTRIAL



Adjustable Wrench

6"/8"



Adjustable Wrench

6"/8"

INDUSTRIAL



Adjustable Wrench

10"

INDUSTRIAL



Adjustable Wrench


12"

INDUSTRIAL



Wrecking Bar


INDUSTRIAL



Item No.	A	B	C
THT431242	600mm(24")	29mm(1-1/8")	15mm(19/32")
THT431362	900mm(24")	29mm(1-1/8")	15mm(19/32")

Test Pencil

140mm/190mm



Neon Bulb




Item No.	Ø (mm)	Voltage
THT291408	3x140	AC 100-500V
THT291908	4x190	AC 100-500V

Electric Soldering Iron

60W/100W

TET1406 Electric soldering iron

INDUSTRIAL



Item No.	Power	Voltage(V/Hz)
TET1606	60W	220-240V~50/60
TET10006	100W	220-240V~50/60

Wire Brusher

250mm



Item No.	Length
THT92102	250mm

Chalk Line Reel

30m



Item No.	Length(m)
THT661301	30

Tile Cutter

600mm



Item No.	Length
THT576004	600mm


Bricklaying Trowel

150mm(6")/200mm(8")

TOTAL unique design handle



Item No.	Size
THT82616	150mm(6")
THT82816	200mm(8")



Plastering Trowel(plastic handle)

280x130mm

TOTAL unique design handle



Item No.	Size
THT81286	280x130mm

Drywall taping knives

280x130mm

TOTAL unique design handle



Item No.	Size
THPUT38200	280x130mm

Aluminum Caulking Gun

305mm(12")

Stronger push plate

INDUSTRIAL

Powerful handle



Item No.	Ø (mm)	Size
THT20112	55	305mm(12")


Caulking Gun

235mm(9")

Double plate

Hook

Needle



Item No.	Thickness	Ø (mm)	Size
THT101126	2.2mm	55	235mm(9")

Caulking Gun

235mm(9")



Item No.	Thickness	Ø (mm)	Size
THT20209	0.8mm	55	235mm(9")

Tool Box

495x200x290mm

INDUSTRIAL




Item No.	Size(mm)	Steel Thickness
THT10701	495x200x290	0.6~0.8mm

Tool Box

400x200x195mm


INDUSTRIAL



Item No.	Size(mm)	Steel Thickness
THT10702	400x200x195	0.6~0.8mm

Telescopic Ladder

6/8 Steps



Item No.	Steps	Ext. Height
THLAD08061	6	1980mm
THLAD08081	8	2580mm
Item No.	Steps	Ext. Height
THLAD08121	12	3780mm
Item No.	Steps	Ext. Height
THLAD08101	10	3180mm



Household Ladder

5 Steps

260x250mm

5Step



Item No.	Steps	Step Rise	Max.load
THLAD06051	5	219mm	150kg

Household Ladder

6 Steps

260x250mm

6Step



Item No.	Steps	Step Rise	Max.load
THLAD06061	6	219mm	150kg

Household Ladder

7 Steps

260x250mm

7Step



Item No.	Steps	Step Rise	Max.load
THLAD06071	7	219mm	150kg

Household Ladder

8 Steps

260x250mm

8Step



Item No.	Steps	Step Rise	Max.load
THLAD06081	8	219mm	150kg

Household Ladder

9 Steps

260x250mm

9Step



Item No.	Steps	Step Rise	Max.load
THLAD06091	9	219mm	150kg

Multi-purpose Aluminium Ladder

4x3 Steps

4x3 Steps



Item No.	Steps	Step Rise	Max.load	Total Length
THLAD04431	4x3	270mm	150kg	3.36m

Multi-purpose Aluminium Ladder

4x4 Steps

4x4 Steps



Item No.	Steps	Step Rise	Max.load	Total Length
THLAD04441	4x4	280mm	150kg	4.70m

Hedge Shear

580mm(22-7/8")

INDUSTRIAL



Teflon Treatment

MAX Ø10mm



Item No.	Size
THT1516301	580mm(22-7/8")

Steel Measuring Tape

Innovated by TOTAL
Patent No.: ZL 2015 3 0170850.1



Item No.	L (m)	W (mm)	Style
TMT126331	3	16	Metric and inch
TMT126351	5	19	Metric and inch

Steel Measuring Tape

Innovated By TOTAL
Patent No.: ZL 2015 3 0446164.2



Item No.	L (m)	W (mm)	Style
TMT126031	3	16	Metric and inch
TMT126051	5	19	Metric and inch

Steel Measuring Tape



Item No.	L (m)	W (mm)	Style
TMT126081	8	25	Metric and inch


Steel Measuring Tape



Item No.	L (m)	W (mm)	Style
TMT126101	10	25	Metric and inch

Steel Measuring Tape


Innovated by TOTAL
Patent No.: ZL 2015 3 0413145.X



Item No.	L (m)	W (mm)
TMT11306	30	12.5

Fiberglass Measuring Tape


Innovated by TOTAL
Patent No.: ZL 2015 3 0413145.X



Item No.	L (m)	W (mm)
TMT12306	30	12.5

Fiberglass Measuring Tape


Innovated by TOTAL
Patent No.: ZL 2015 3 0412812.2



Item No.	L (m)	W (mm)
TMTF12506	50	12.5

Spirit Level

Innovated by TOTAL
Patent No.: ZL 2016 3 0312107.X



Item No.	L (cm)	Thickness
TMT23016	30	1.0mm
TMT24016	40	1.0mm
TMT26016	60	1.0mm
TMT28016	80	1.0mm

Safety Helmet

100% NEW/PE



Separate



Item No.	Color
TSP2609	White
TSP2612	Yellow

Nitrile Gloves

10(XL)
9(L)

x12Pairs



CE EN388 4121

Item No.	Size
TSP12101	10(XL)

Brass Padlock 60,70mm

INDUSTRIAL



Item No.	Size	Weight	Keys	Corrosion Rating	Strength Rating
TLK32603	60mm	234g	3pcs	4	7
TLK32703	70mm	411g	3pcs	4	7

Brass Padlock 80mm

INDUSTRIAL



Item No.	Size	Weight	Keys	Corrosion Rating	Strength Rating
TLK32803	80mm	568g	3pcs	4	8

TOTAL®

One-Stop Tools Station

Add: Suzhou Industrial Park, China.

Mob/WeChat/WhatsApp:

0086 18061926871 / 0086 18061926873

Tel: 0086 512 6299 0356


Fax: 0086 512 6299 7917

E-mail: info@totaltools.cn; marketing1@totaltools.cn;

totaltoolsmarketing@gmail.com

Skype: [totaltoolscn](#); [totalmarketing](#)

Contact: TOTAL Marketing Department



www.totalbusiness.com
TOTAL TOOLS CO., PTE. LTD.